

ACAR0301-SW2



3.05 x 1.60 x 0.55 mm RoHS/RoHS II Compliant MSL = 1

Features

- Dual band WiFi 2.4 GHz/5.5 GHz
- Low profile
- Gain of 1.0/2.5 dBi
- Omnidirectional pattern
- Low VSWR of 2.0

Applications

- WiFi
- Bluetooth
- ISM
- Wearables
- IoT
- AR/VR
- Drones
- Broadband connectivity

Electrical Characteristics

Item	Spe	ec*	Comments
Working Frequency	2400~2500MHz	5150~5825MHz	Dual 2.4GHz and 5GHz bands
VSWR	2:1	2:1	
Peak Gain (2400~2500MHz)	Typ 1.0 dBi	Typ 2.5 dBi	
Efficiency	75%	80%	
Polarization	Lin	ear	
Impedance	50	Ω	
Operating Temperature	-40°C	~ 85°C	
Storage Temperature	-40°C	~ 85°C	

^{*} Data collected per Table on standard evaluation board, and under the environmental conditions of +40°C and 0-95% relative humidity.






ACAR0301-SW2




3.05 x 1.60 x 0.55 mm RoHS/RoHS II Compliant MSL = 1

Dimensions



Dimensions (mm)

Evaluation Board and Dimensions








ACAR0301-SW2




3.05 x 1.60 x 0.55 mm RoHS/RoHS II Compliant MSL = 1

Recommended Layout Dimensions



Recommended Matching Circuit



Matching Components								
No.	1	2	3	4	5	6	7	8
Value	1.2pF	1.0pF	NA	NA	NA	1.2nH	1.0nH	NA






ACAR0301-SW2




3.05 x 1.60 x 0.55 mm **RoHS/RoHS II Compliant** MSL = 1

Transmission Line Antenna Matching



Matching should be considered using a Pi network where 1, 2 or 3 components could be used. This shall be matched to the transmission line and the ground plane in the design.

Antenna Response – Return Loss S11



Return Loss	2400MHz	2450MHz	2500MHz	5150MHz	5550MHz	5850MHz
S11	-10.04dB	-18.27dB	-10.19dB	-15.71dB	-13.79dB	-10.18dB







ACAR0301-SW2



3.05 x 1.60 x 0.55 mm RoHS/RoHS II Compliant MSL = 1

Antenna Performance







WLAN	2400MHz	2450MHz	2500MHz	5150MHz	5850MHz
Efficiency (%)	68.02	79.73	65.16	75.38	65.62
Average Gain (dB)	-1.67	-0.98	-1.86	-1.22	-1.82
Peak Gain (dB)	0.88	1.05	-0.19	2.56	4.01






ACAR0301-SW2



3.05 x 1.60 x 0.55 mm RoHS/RoHS II Compliant MSL = 1


Antenna 3D Radiation Patterns – Evaluation Board


Coordinates



Radiation patterns 2450MHz (3D)

Radiation patterns 5550MHz (3D)









ACAR0301-SW2




3.05 x 1.60 x 0.55 mm RoHS/RoHS II Compliant MSL = 1

Antenna 2D Radiation Patterns @ 2450MHz


2D Radiation Pattern X-Z Plane 2450MHz

TO THE PLANT AND THE PLANT AND

2D Radiation Pattern Y-Z Plane 2450MHz



2D Radiation Pattern X-Y Plane 2450MHz








ACAR0301-SW2




3.05 x 1.60 x 0.55 mm RoHS/RoHS II Compliant MSL = 1

Antenna 2D Radiation Patterns @ 5550MHz


2D Radiation Pattern X-Z Plane 5550MHz



2D Radiation Pattern Y-Z Plane 5550MHz



2D Radiation Pattern X-Y Plane 5550MHz







ACAR0301-SW2



3.05 x 1.60 x 0.55 mm RoHS/RoHS II Compliant MSL = 1


Reflow Soldering Standard Condition

Abracon products can be assembled following Pb-free assembly.

According to the Standard IPC/JEDEC J-STD-020C, the temperature profile suggested is as follow:

Phase	Profile Features	Pb-Free Assembly (SnAgCu)
Pre-Heat	-Temperature Min (Tsmin) -Temperature Max (Tsmax) -Time (ts) from (Tsmin to Tsmax)	150°C 200°C 60-120 seconds
Ramp-Up	Avg. Ramp-up Rate (Tsmax to TP)	3°C /second(max)
Reflow	-Temperature (TL) -Total Time above TL (t L)	217°C 30-100 seconds
Peak	-Temperature (TP) -Time (tp)	260°C 5-10 second RAMP
Ramp-Down	Rate	6°C / second max.
Time from 25°C to Peak Temperature		8 minutes max.
Composition of solder paste		96.5Sn/3Ag/0.5Cu
Solder Paste Model		SHENMAO PF606-P26

Note: All the temperature measure point is on top surface of the component, if temperature over recommend, it will make component surface peeling or damage.







ACAR0301-SW2





3.05 x 1.60 x 0.55 mm RoHS/RoHS II Compliant MSL = 1

Manual Soldering:


Soldering condition: Soldering iron temperature 270°C±10°C. Apply preheating at 120°C for 2-3 minutes. Finish soldering for each terminal within 3 seconds, if soldering iron over temperature 270±10°C or 3 seconds, it will make component surface peeling or damage.


Packaging





Reel Dimensions (mm)





1 Blister tape to IEC 286-3, polyester.

2 Pieces/tape: 5000

ATTENTION: Abracon LLC's products are COTS – Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. Abracon's products are not specifically designed for Military, Aviation, Aerospace, Life-dependent Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization from Abracon LLC is required. Please contact Abracon LLC for more information.

