GlobTek, Inc.	Tek, Inc. Drawing Title: T00 System changeable plug system, Male stereo plug, 3.5mm x 14mm		
www.globtek.com	Model No. Low voltage cable		
186 Veterans Drive,			
Northvale, NJ 07647			
Tel. (201) 784-1000	Part No./Ordering No. T-P-S-STER-14(R)	Rev A1	
Fax (201) 784-0111			

In Addition to GlobTek Inc.'s renewed ISO9001:2008 - Quality Management System Certification, GlobTek Inc. is now certified to:

ISO13485:2003 - Medical Devices Quality Management System Certification ISO14001:2004 - Environmental Management System Certification

ISO Certificates are available online at http://www.globtek.com/iso-certificates/

The acceptance of this specification and use of the product described in this document indicates the acceptance and binding of the customer to Globtek TERMS AND CONDITIONS (attached to the end of this document), which supersede all other agreements, terms, and conditions (http://en.globtek.com/terms-and-conditions/).

Prop 65 Statement: https://en.globtek.com/prop-65-statement.pdf

Footnote:

GlobTek Inc. will not be liable for the safety and performance of these power supplies if unauthorized access and repair occurs. End user should consult applicable UL, CSA or EN standards for proper installation instruction.

Limitation of Use:

GlobTek products are intended for use with commercial, medical, and/or industrial equipment only. GlobTek product are not authorized for use as mission critical components in life support hazardous environment, nuclear or aircraft applications without prior written approval from the CEO of GlobTek Inc.

Contents of this document are subject to change without prior notice.

Customer Approval of Specification:


Please approve, sign and send back to GlobTek so we can complete order processing. A delay in receipt of this form will delay delivery schedule.

Company Name:	Customer P/N:
Quote Number:	Date:
Authorized Representative Name:	Authorized Representative Signature:

PROPRIETARY INFORMATION

PROPRIETARY OF GLOBTEK, INC. ANY REPRODUCTION, DISCLOSURE OR USE OF THIS DRAWING, IN WHOLE OR IN PART, IS HEREBY PROHIBITED EXCEPT AS SPECIFIED IN WRITING BY GLOBTEK, INC. © GlobTek, Inc. 2020 - 2022 guest /09/02/2022 12:31:15 AM CLONED FROM T-P-S-14(R)

GlobTek, Inc.	C. Drawing Title: T00 System changeable plug system, Male stereo plug, 3.5mm x 14mm		
www.globtek.com	Model No. Low voltage cable		
186 Veterans Drive,			
Northvale, NJ 07647			
Tel. (201) 784-1000	Part No./Ordering No. T-P-S-STER-14(R)	Rev A1	
Fax (201) 784-0111			




PROPRIETARY OF GLOBTEK, INC. ANY REPRODUCTION, DISCLOSURE OR USE OF THIS DRAWING, IN WHOLE OR IN PART, IS HEREBY PROHIBITED EXCEPT AS SPECIFIED IN Page 2 of 4 WRITING BY GLOBTEK, INC. © GlobTek, Inc. 2020 - 2022 guest /09/02/2022 12:31:15 AM CLONED FROM T-P-S-14(R)

GlobTek, Inc.	Drawing Title: T00 System changeable plug system, Male stereo plug, 3.5mm x 14mm	
www.globtek.com	Model No. Low voltage cable	
186 Veterans Drive,		
Northvale, NJ 07647		
Tel. (201) 784-1000	Part No./Ordering No. T-P-S-STER-14(R)	Rev A1
Fax (201) 784-0111		

Packaging:

1.Qty: 50 pcs per PE Vacuum Sealed bag. 2.Bag Dimensions: 200*110 mm



Mates with: SJ1-3523N, SJ-3524-SMT-TR, SJ-3524-SMT-TR, SJ-3524-SMT-TR, SJ-3523-SMT-TR, SJ-43515RS-SMT-TR, SJ-43515RS-SMT-TR, SJ-43515RS-SMT-TR, SJ-43514, 35RASMT4BHNTRX, 35RASMT4BHNTRX, 35RASMT4BHNTRX, SJ-43615TS-SMT-TR, SJ-43615TS-SMT-TR, SJ-43615TS-SMT-TR, SJ-43615TS-SMT-TR, SJ-43516-SMT-TR, SJ-43516-SMT-TR, SJ-43516-SMT-TR, SJ-43516-SMT-TR, SJ-43516-SMT-TR, SJ-43516-SMT-TR, SJ-43616-SMT-TR, SJ-43516-SMT-TR, SJ-43502PM

GlobTek, Inc.	Drawing Title: T00 System changeable plug system, Male stereo plug, 3.5mm x 14mm	
www.globtek.com	Model No. Low voltage cable	
186 Veterans Drive,		
Northvale, NJ 07647		
Tel. (201) 784-1000	Part No./Ordering No. T-P-S-STER-14(R)	Rev A1
Fax (201) 784-0111		

PACKAGING

Packing Spec P/N:	
Box Qty:	1000
Gift Box Size (mm):	
Gift Box Color:	White
Master Carton Size (mm):	TBD
Master Carton Cubic Volume (m³):	0.00
Master GW (Kg):	kg
wt Ea. (Kg):	kg
wt Ea. (Kg):	kg
LABEL SPECS: ,	
PACK SPEC:	